





































































NO	PRODUCT	PRODUCT CODE	PRODUCT DESCRIPTION
1		UT 2500	EKO Flexible Delineator Post 750mm Material : TPU Base diameter : 200 mm. Top diameter : 80 mm. Weight : 0,96 ± 0,1
2		UT 2501	Flexible Delineator Post 750mm Material : TPU Base diameter : 200 mm. Top diameter : 80 mm. Weight : 1,20 ± 0,1
3		UT 2502	Flexible Delineator Post 450mm Material : TPU Base diameter : 200 mm. Top diameter : 80 mm. Weight : 0,84 ± 0,1
4		UT 2507	Flexible Delineator Post 300mm Material : TPU Base diameter : 200 mm. Top diameter : 80 mm. Weight : 0,65 ± 0,1
5		UT 2513	Flexible Delineator Post 1000mm Material : TPU Base diameter : 200 mm. Top diameter : 80 mm. Weight : 1,50 ± 0,1
6		UT 2505	Flexible Delineator Post 750mm (Dia. 70mm) Material : TPU Base diameter : 200 mm. Top diameter : 70 mm. Weight : 1,20 ± 0,1
7		UT 2506	Flexible Delineator Post 450mm (Dia. 70mm) Material : TPU Base diameter : 200 mm. Top diameter : 70 mm. Weight : 0,84 ± 0,1
8		UT 2515	Flexible Delineator Post 750mm (Dia. 90mm) Material : TPU Base diameter : 220 mm. Top diameter : 90 mm. Weight : 1,48 ± 0,1
9		UT 2516	Flexible Delineator Post 450mm (Dia. 90mm) Material : TPU Base diameter : 220 mm. Top diameter : 90 mm. Weight : 0,94 ± 0,1
10		UT 2517	Flexible Delineator Post 750mm (Dia. 110mm) Material : TPU Base diameter : 220 mm. Top diameter : 110 mm. Weight : 1,90 ± 0,1













NO	PRODUCT	PRODUCT CODE	PRODUCT DESCRIPTION
11		UT 2512	Flexible Delineator Post 750mm in different Colors Material : TPU Base diameter : 220 mm. Top diameter : 80 mm. Weight : 1,20 ± 0,1
12		UT 2514	Flexible Delineator Post 450mm in different Colors Material : TPU Base diameter : 220 mm. Top diameter : 80 mm. Weight : 0,94 ± 0,1
13		UT 2508	Flexible and Demountable Delineator Posts 750mm (without base) Material : TPU Top diameter : 80 mm. Weight : 1,02 ± 0,1 kg
14		UT 2509	Flexible and Demountable Delineator Posts 450mm (without base) Material : TPU Top diameter : 80 mm. Weight : 0,65 ± 0,1 kg
15		UT 2601W	Flexible Island Refuge Sign 850 mm Orange - without Reflective Material : TPU , Micro Prismatic Length : 850 mm. Width : 200 mm. Weight : 2 ± 0,1 kg
16		UT 2601	Flexible Island Refuge Sign 850 mm - Orange, with Reflective Material : TPU, Micro Prismatic Length : 850 mm. Width : 200 mm. Weight : 2 ± 0,1 kg
17		UT 2602W	Flexible Island Refuge Sign 850 mm - Black, Without Reflective Material : TPU, Micro Prismatic Length : 850 mm. Width : 200 mm. Weight : 2 ± 0,1 kg
18		UT 2602	Flexible Island Refuge Sign 850 mm - Black, with Reflective Material : TPU, Micro Prismatic Length : 850 mm. Width : 200 mm. Weight : 2 ± 0,1 kg
19		UT 2605W	Flexible Island Refuge Sign 1000 mm - Black, Without Reflective Material : TPU, Micro Prismatic Length : 1000 mm. Width : 200 mm. Weight : 2,2 ± 0,2 kg
20		UT 2605	Flexible Island Refuge Sign 1000 mm - Black, with Reflective Material : TPU, Micro Prismatic Length : 1000 mm. Width : 200 mm. Weight : 2,2 ± 0,2 kg
21		UT 2606W	Large Flexible Refuge Warning Sign - Orange, Without Reflective Material : TPU Height : 1000 mm Body Width : 300 mm. Base Width : 260 mm. Weight : 3,42 Kg + 0,2
22		UT 2606	Large Flexible Refuge Warning Sign - Orange, with Reflective Material : TPU Height : 1000 mm Body Width : 300 mm. Base Width : 300 mm. Weight : 3,42 Kg + 0,2
23		UT 2607W	Large Flexible Warning Sign - Black, Without Reflective Material : TPU Height : 1000 mm Body Width : 300 mm. Base Width : 260 mm. Weight : 3,42 Kg + 0,2














NO	PRODUCT	PRODUCT CODE	PRODUCT DESCRIPTION
24		UT 2607	Large Flexible Warning Sign - Black, with Reflective Material : TPU Height : 1000 mm Body Width : 310 mm. Base Width : 300 mm. Weight : 3,42 Kg + 0,2
25		UT 2603W	Flexible Refuge Sign with Long Separator Base - Without Reflective Material : Base PP, Body HDPE, Stand TPU Body : 1000 x 220 x 75 mm. Base : 1000 x 220 x 50 mm.
26		UT 2603	Refuge Sign with Long Separator Base - With Reflective Base Material : Base PP, Body HDPE, Stand TPU Body : 1000 x 220 x 75 mm. Base : 1000 x 220 x 50 mm.
27		UT 2604W	Refuge Sign with Short Separator Base - Without Reflective Base Material : Base PP / Body HDPE / Stand TPU Body : 1000 x 220 x 75 mm. Base : 440 x 220 x 50 mm.
28		UT 2604	Flexible Refuge Sign with Short Separator Base - Reflective Base Material : Base PP / Body HDPE / Stand TPU Body : 1000 x 220 x 75 mm. Base : 440 x 220 x 50 mm.
29		UT 2701W	Poll Mounted Refuge Sign(Box-Type) - Without Reflective Material : ABS, Micro Prismatic Sizes : 400X240X650 Weight : 2 ± 0,05 kg
30		UT 2701	Poll Mounted Refuge Sign(Box-Type) - Reflective Material : ABS, Micro Prismatic Sizes : 400X240X650 Weight : 2 ± 0,05 kg
31		UT 2702W	Guide and Information Signs - Without Reflective Material : Body PVC + Head cover ABS, Micro Prismatic Lateral profile sizes : 1000 x 150 X 75 mm
32		UT 2702	Guide and Information Signs - With Reflective Material : Body PVC + Head cover ABS, Micro Prismatic Lateral profile sizes : 1000 x 150 X 75 mm
33		UT 2151	Flexible Delineator Post 750mm with Lane Separator Base Delineator Material : TPU / Lane Separator material : PPC Separator Sizes : 1000 x 200 x 80 mm Weight: 4,5 ± 0,20 kg
34		UT 2152	Flexible Delineator Post 450mm with Lane Separator Base Delineator Material : TPU / Lane Separator material : PPC Separator Sizes : 1000 x 200 x 80 mm Weight: 4,1 ± 0,2 kg
35		UT 2510	Flexible Delineator Post 750mm with Short Lane Separator Base Delineator material: TPU Lane Separator material : PPC Separator Sizes : 440 x 220 x 50 mm
36		UT 2511	Flexible Delineator Post 450mm with Short Lane Separator Base Delineator Material : TPU / Lane Separator material : PPC Separator Sizes : 440 x 220 x 50 mm
37		UT 4001	Caution Wet Floor Sign - with Print Material : HIPS Height : 630 mm. Width (top) : 215 mm. Width (bottom) : 340 mm. Weight : 0,8 kg +0,1 kg















NO	PRODUCT	PRODUCT CODE	PRODUCT DESCRIPTION
38		UT 4000W	Caution Wet Floor Sign - without Print Material : HIPS Height : 630 mm. Width (top) : 215 mm. Width (bottom) : 340 mm. Weight : 0,8 kg +0,1 kg
39		UT 4050	Rectangular Sign (empty) Material : PP Sizes : 350 x 410 mm. Weight : 0,64 kg
40		UT 2800	Triangle Warning Sign (empty) Material : PP Height : 380 mm.
41		UT 2900	Round Warning Sign (empty) Material : PP Height : 280 mm.
42		UT 2901	No Parking Sign Material : PP Height : 280 mm.
43		UT 2902	Mandatory Direction Turn Left (Double-faced) Material : PP Diameter : 280 mm Height: 390mm
44		UT 2903	Mandatory Direction Turn Right (Double-faced) Material : PP Diameter : 280 mm Height: 390mm
45		UT 2904	Entry Prohibited Material : PP Diameter : 280 mm Height: 390mm
46		UT 2905	Stop Material : PP Diameter : 280 mm Height: 390mm
47		UT 2906	No Passing Material : PP Diameter : 280 mm Height: 390mm
48		UT 2907	Speed Limit - 30 km Material : PP Diameter : 280 mm Height: 390mm
49		UT 2908	Speed Limit - 50 km Material : PP Diameter : 280 mm Height: 390mm
50		UT 2909	Keep Right Material : PP Diameter : 280 mm Height: 390mm
51		UT 2910	Mandatory Direction Turn Left ahead Material : PP Diameter : 280 mm Height: 390mm
52		UT 2801	Road Narrows on Both Sides Material : PP Height : 380 mm Height: 430mm
53		UT 2802	Road narrows from right side Material : PP Height : 380 mm Height: 430mm
54		UT 2803	Road narrows from right side Material : PP Height : 380 mm Height: 430mm















NO	PRODUCT	PRODUCT CODE	PRODUCT DESCRIPTION
55		UT 2804	Two-way traffic ahead Material : PP Height : 380 mm Height: 430mm
56		UT 2805	Attention Material : PP Height : 380 mm Height: 430mm
57		UT 2806	Speed Bump ahead Material : PP Height : 380 mm Height: 430mm
58		UT 2807	Road Work Material : PP Height : 380 mm Height: 430mm
59		UT 2101	Solar Warning Light - Yellow Material : PC + ABS Sizes : 95 * 240* 280 mm Weight : 800 gr
60		UT 2102	Solar Warning Light - RED Material : PC + ABS Sizes : 95 * 240* 280 mm Weight : 800 gr
61		UT 3200	Road Stud (Oval Shape) Material : PPC Reflective : Cat Eyes Weight : 200 gr
62		UT 2121	Mini Road Stud - 128x88x30 mm Material : PPC / PE / PP Reflective : Swareflex 7 x 4 Glass beads, Weight : 135 gr
63		UT 3202	Flexible Lane Divider - Micro-Prismatic Reflective Material : ABS + TPU Sizes : 160 x 260 x 280 mm Weight : 1,45 Kg ± 0,05 Kg
64		UT 3203	Lane Divider Road Stud with Micro-Prismatic Reflective Material : PPC /ABS /PE /PP Sizes : 160 x 260 x 40 mm Weight : 0,85 Kg ± 0,05 Kg
65		UT 3204	Flexible lane Divider (Flap) - Montage with epoxy Material : TPU, Micro-Prismatic Sizes : 120 x 140 x 260 mm. Weight : 0,60 Kg ± 0,05 Kg
66		UT 3205	Road Separator Stud - Short, Micro-Prismatic, Reflective Material : PPC /ABS /PE /PP Sizes : 440 x 220 x 50 mm. Weight : 1,25 Kg ± 0,05 Kg
67		UT 2131	Long Road Separator Stud - Micro-Prismatic, Reflective Glass Button Material : PPC /ABS /PE /PP Sizes : 1000 x 200 x 80 mm. Weight : 4 Kg ± 0,05 Kg
68		UT 2132	Long Road Separator Stud - Micro-Prismatic, Reflective Material : PPC /ABS /PE /PP Sizes : 1000 x 200 x 80 mm. Weight : 3,6 Kg ± 0,05 Kg

NO	PRODUCT	PRODUCT CODE	PRODUCT DESCRIPTION
69		UT 9020	High Impact Speed Ramps - Yellow Material : PPC / ABS / PE / PP Sizes : 350*250*50 mm Weight : 1,32 kg 4+4
70		UT 9021	High Impact Speed Ramps Header - Yellow Material : PPC / ABS / PE / PP Sizes : 10*250*50 mm Weight : 350 gr
71		UT 9022	High Impact Speed Ramps - Black Material : PPC / ABS / PE / PP Sizes : 350*250*50 mm Weight : 1,32 kg 4+4
72		UT 9023	High Impact Speed Ramps Header - Black Material : PPC Sizes : 10*250*50 mm Weight : 340 gr
73		UT 2111	Speed Ramps 500mm - Yellow Body Material : PPC / PE / PP Sizes : 500*500*45 mm Weight : 3,3 kg ± 0,10 kg
74		UT 2112	Speed Ramps 500 mm - Yellow Header Material : PPC / PE / PP Sizes : 500*250*45 mm Weight : 1,1 kg ± 0,10 kg
75		UT 2113	Speed Ramps 500 mm - Black Body Material : PPC/PE/PP Sizes : 500*500*45 mm Weight : 3,3 kg ± 0,10 kg
76		UT 2114	Speed Ramps 500mm - Black Header Material : PPC/PE/PP Sizes : 500*250*45 mm Weight : 1,1 kg ± 0,10 kg
77		UT 9028	Oval Speed Ramps - Yellow Material : PPC / ABS / PE / PP Sizes : 300*333*40 Weight : 1,1 kg ± 0,05 kg
78		UT 9029	Oval Speed Ramps header - Yellow Material : PPC / ABS / PE / PP Sizes : 10*30*40 Weight : 0,3 kg ± 0,05 kg
79		UT 9030	Oval Speed Ramps- Black Material : PPC / ABS / PE / PP Sizes : 300*333*40 Weight : 1,1 kg ± 0,05 kg
80		UT 9031	Oval Speed Ramps Header - Black Material : PPC / ABS / PE / PP Sizes : 10*30*40 Weight : 0,3 kg ± 0,05 kg
81		UT 5001	Unbreakable Traffic Cone 500mm (without reflective sheeting) Material : PVC Sizes : 285*500 mm Weight : 1,3 kg ± 0,2 kg

NO	PRODUCT	PRODUCT CODE	PRODUCT DESCRIPTION
82		UT 5002	Unbreakable Traffic Cone 500mm (with single reflective sheeting) Material : PVC Sizes : 285*500 mm Weight : 1,3 kg ± 0,2 kg
83		UT 5003	Unbreakable Traffic Cone 750mm (without reflective sheeting) Material : PVC Sizes : 385*750 mm Weight : 2,8 kg ± 0,2 kg
84		UT 5004	Unbreakable Traffic Cone 750mm (with single reflective sheeting) Material : PVC Sizes : 385*750 mm Weight : 2,80kg ± 0,2 kg
85		UT 5005	Unbreakable Traffic Cone 750mm (with double reflective sheeting) Material : PVC Sizes : 385*750 mm Weight : 2,8 kg ± 0,2 kg
86		UT 5015	Unbreakable Traffic Cone 750mm (with double reflective sheeting) Material : PVC Sizes : 385*750 mm Weight : 4 kg ± 0,2 kg
87		UT 5013	Unbreakable Traffic Cone 750mm (with Weighted base and double reflective sheeting) Material : PVC Sizes : 385*750 mm Weight : 5,7 kg ± 0,2 kg
88		UT 5012	Unbreakable Traffic Cone 900mm (with Weighted base and double reflective sheeting) Material : PVC Sizes : 385*900 mm Weight : 5,5 kg ± 0,2 kg
89		UT 5009	ECO Unbreakable Traffic Cone 750mm (without reflective sheeting) Material : PVC Sizes : 385*750 mm Weight : 2 kg ± 0,2 kg
90		UT 5010	ECO Unbreakable Traffic Cone 750mm (with single reflective sheeting) Material : PVC Sizes : 385*750 mm Weight : 2 kg ± 0,2 kg
91		UT 5011	ECO Unbreakable Traffic Cone 750mm (with double reflective sheeting) Material : PVC Sizes : 385*750 mm Weight : 2 kg ± 0,2 kg
92		UT 5006	Unbreakable Traffic Cone 900mm (without reflective sheeting) Material : PVC Sizes : 385*900 mm Weight : 3,3 kg ± 0,3 kg
93		UT 5007	Unbreakable Traffic Cone 900mm (with single reflective sheeting) Material : PVC Sizes : 385*900 mm Weight : 3,3 kg ± 0,3 kg

NO	PRODUCT	PRODUCT CODE	PRODUCT DESCRIPTION
94		UT 5008	Unbreakable Traffic Cone 900mm (with reflective sheeting) Material : PVC Sizes : 385*900 mm Weight : 3,3 kg ± 0,3 kg
95		JT 5040	Hexagonal Traffic Cone - Double Reflective Material : PVC Weight : 1,3 kg ± 0,1 kg Size: 520x360mm
96		UT 5041	Octagonal Traffic Cone - Double Reflective Material : PVC Weight : 2,2 kg ± 0,1 kg Sizes: 700x390mm
97		JT 5020	Advertising Cone with Reflective Cat Eyes (without weighted base) Material : PPC-PE-PP / Color : Red - White Sizes : 350*500 mm Weight : 1 kg ± 0,1 kg
98		UT 5021	Advertising Cone with Reflective Cat Eyes (with weighted base) Material : PPC-PE-PP / Color : Red - White Sizes : 350*500 mm Weight : 4 kg ± 0,2 kg
99		UT 5022	Advertising Cone with Reflective Cat Eyes (with Panel/without weighted base) Material : PPC / Color : Red - White Sizes : 350*500 mm / Panel size : 350 * 410 mm Weight : 1,65 kg ± 0,1 kg
100		UT 5023	Advertising Cone with Reflective Cat Eyes (with Panel and weighted base) Material : PPC / Color : Red - White Sizes: 350*500 mm / Panel Sizes : 350*410 mm Weight: 4,7 kg
101		UT 5024	ECO Plastic Cone 500mm (with reflective paint) Material : PE Sizes : 285*500 mm Weight : 0,56 kg ± 0,1 kg
102		T 5025	ECO Plastic Cone 500mm (with reflective and weighted base) Material : PE Sizes : 285*500 mm Weight : 3,80 kg ± 0,1 kg
103		UT 2141	Relocatable Caution Post (with weighted base) Material : PP+PE Sizes : Ø110*1200 mm Weight : 12 kg ± 1 kg
104		UT 2142	Relocatable Caution Post (with Rubber weighted base) Material : PP+PE Sizes : Ø60*1200 mm Weight : 11 kg ± 1 kg
105		UT 6003	Relocatable Caution Post -THIN (with hexagonal weighted base) Material : PP+PE Sizes : Ø60*1000 mm Weight : 4,5 kg ± 0,5 kg
106		UT 6008	Relocatable Caution Post Post -THIN (with Rubber weighted base) Material : PP+PE Sizes : Ø60*1000 mm Weight : 7kg ± 0,5 kg

NO	PRODUCT	PRODUCT CODE	PRODUCT DESCRIPTION
107		UT 6004	Short Warning and Advertising Post (with weighted base) Material : PP+PE Sizes : Ø110*650 mm Weight : 10,2 kg ± 1 kg
108		UT 6005	Short Warning and Advertising Post (with Rubber weighted base) Material : PP+PE Sizes : Ø110*650 mm Weight : 10,8 kg ± 0,5 kg
109		UT 6006	Short Warning and Advertising Post (with weighted base and Panel) Material : PP+PE Sizes : Ø110*650 mm Panel Sizes: 350 * 410 mm Weight:10,8 kg ± 1 kg
110		UT 6007	Short Warning and Advertising Post (with Rubber weighted base and Panel) Material : PP+PE Sizes : Ø110*650 mm / Panel Sizes: 350 * 410 mm Weight : 11,5 kg ± 1 kg
111		UT 9000	Rubber Speed Ramp Body 600mm (with 6 reflectors) Material : NR/SBR Sizes (L*w*h) : 600*500*45 mm Weight : 9 kg ± 0,2 kg
112		UT 9001	Rubber Speed Ramp Header 600mm Material : NR/SBR Sizes (L*w*h) : 600*300*45 mm Weight : 3,5 kg ± 0,2 kg
113		UT 9002	Rubber Speed Ramp Body 500mm (with 4 reflectors) Material : NR/SBR Sizes (L*w*h) : 500*500*45 mm Weight : 7,5 kg ± 0,5 kg
114		UT 9003	Rubber Speed Ramp Header 500mm Material : NR/SBR Sizes (L*w*h) : 500*300*45 mm Weight : 3,5 kg ± 0,1 kg
115		UT 9004	Rubber Speed Ramps 400mm (with 2 reflectors) Material : NR/SBR Sizes (L*w*h) : 400*500*45 mm Weight : 6,5 kg ± 0,2 kg
116		UT 9005	Rubber Speed Ramp Header 400mm Material : NR/SBR Sizes (L*w*h) : 400*250*45 mm Weight : 2,5 kg ± 0,2 kg
117		UT 9006	Rubber Speed Ramps 300mm (with 2 reflectors) Material : NR/SBR Sizes (L*w*h) : 300*330*40 mm Weight : 3 kg ± 0,1 kg
118		UT 9007	Rubber Speed Ramp Header 300mm Material : NR/SBR Sizes (L*w*h) : 300*150*40 mm Weight : 1 kg ± 0,5 kg
119		UT 9008	Rubber Speed Ramp Body 900mm (with 8 reflectors) Material : NR/SBR Sizes (L*w*h) : 900*500*60 mm Weight : 21,7 kg ± 0,2 kg
120		UT 9009	Rubber Speed Ramp Header Material : NR / SBR Sizes : 900 x 500 x 60 mm Weight : 11 kg ± 0,2 kg

NO	PRODUCT	PRODUCT CODE	PRODUCT DESCRIPTION
121		UT 2410	Traffic Safety Road Barrier (Long) 1000mm - TPU Demountable Delinator Post 750 mm. - TPU Flexible Refuge Sign - PP Connector for flexible Refuge Sign - PP Connector for Delinator post - PP Lower base 200mm TOTAL weight : 11,0 kg
122		UT 2411	Traffic Safety Road Barrier (Short) 1000mm - TPU Demountable Delinator Post 750 mm. - PP Connector for Delinator post - PP Lower base 200 mm TOTAL weight : 7,50 kg
123		UT 7003	Tactile Walking Surface Indicator-Attention type (without Adhesive) Material : TPU Sizes(L*w*h) : 40*40*8 mm
124		UT 7004	Tactile Walking Surface Indicator-Guiding type (without Adhesive) Material: TPU Sizes(L*w*h) : 40*40*8 mm
125		UT 7005	Parking Corner Protectors with Reflective (Oval Type) Material : PVC Sizes : 90x80x 780 mm (+ 5mm) Weight : 1,9 kg (± 0,1) Features : Shock-absorbing, flexible, high visibility through strong retroreflectivity
126		UT 7006	Parking Corner Protectors with Reflective (Flat Type) Material : PVC Sizes : 80 x 800 x 120 mm (+ 5mm) Weight : 1,9 kg (± 0,1) Features: Shock-absorbing, flexible, high visibility through strong retroreflectivity
127		UT 3000	Panel Connection tool Material : DKP Galvanized Steel with M8*15 Geomet coated bolts
128		UT 3105	Installation Set (Ø16 Plastic Anchor + washer + screw) Material : PP + Steel Length : 90 mm. Diameter : 16 mm.
129		UT 3100	Ø16 Plastic Anchor Material : PP Length : 90 mm. Diameter : 16 mm.
130		UT 3109	Screw 10*120 Material : Steel Length : 120 mm Diameter : 10 mm
131		UT 3101	Delineator Connection Adapter (Dia 70mm) Material : PP Diameter : 70 mm
132		UT 3102	Cone Handle Material : PP
133		UT 3103	Delineator Connection Adapter (Dia 80mm) Diameter : 80 mm.
134		UT 3108	Ad Cone and Warning Post Weighted base Material : PP Sizes (L*h) : 330*50 Weight : 3 kg ±0,2 kg

NO	PRODUCT	PRODUCT CODE	PRODUCT DESCRIPTION
135		UT 3115	Warning Tape Sizes : 60mm * 250 Metre
136		UT3106	Weighted base for Warning Post Material : PP Weight : 9,7 kg + 0,5 kg
137		UT 3107	Rubber Weighted base for Warning Post Material : SBR Rubber Weight : 9,3 kg + 0,5 kg
138		UT 3117	Rubber Weighted base for Warning Post -THIN Material : NR/SBR Shape : Round Weight : 9kg + 0,3 kg
139		UT 3119	Delineator Base Material : PP Diameter : 23 cm Weight : 0,7kg
140		UT 3112	Traffic Cone Adapter (For installing Warning and Ad Signs, Panels and Solar Warning Lights)
141		UT 3110	Plastic Traffic Chain (Red and White) Material : PP / PE /PP Diameter : 8mm
142		UT 3111	Plastic Traffic Chain (Yellow and Black) Material : PP / PE /PP Diameter : 8mm
143		UT 3120	Plastic Traffic Chain (Red and White) Material : PP / PE /PP Diameter : 6mm
144		UT 3121	Plastic Traffic Chain (Yellow and Black) Material : PP / PE /PP Diameter : 6mm
145		UT 3116	Traffic Cone Weighted Base Material : PVC Weight : 2 kg + 0,20 kg